

	Type	Ref #	Hits	Search Text	DBs
1	BRS	S1	6	(hiroyuki same hirota).in.	USPAT
2	BRS	S2	3	(hiroyuki same hirota).in. and battery and mold	US-PGPUB; USPAT
3	BRS	S3	0	(kawasata same katsuhiko).in. and battery and mold	US-PGPUB; USPAT
4	BRS	S4	2	(kawabata same katsuhiko).in. and battery and mold	US-PGPUB; USPAT
5	BRS	S5	1	"6636018".pn.	US-PGPUB; USPAT
6	BRS	S6	1	S5 and mold\$3 and resin	US-PGPUB; USPAT
7	BRS	S7	0	S5 and mold\$3 and resin and valve\$2	US-PGPUB; USPAT
8	BRS	S8	1	S5 and mold\$3 and resin	US-PGPUB; USPAT
9	BRS	S9	252	429//136	US-PGPUB; USPAT
10	BRS	S11	229	429//180	US-PGPUB; USPAT
11	BRS	S10	5	S9 and mold\$4 and resin and battery and valve	US-PGPUB; USPAT
12	BRS	S12	8	S11 and mold\$4 and resin and battery and valve	US-PGPUB; USPAT
13	BRS	S13	25	(molded near (battery adj pack))	US-PGPUB; USPAT
14	BRS	S14	3	S13 and valve\$2	US-PGPUB; USPAT
15	BRS	S15	16	(molded same (battery adj pack)) and (mold\$3 same valve)	US-PGPUB; USPAT
16	BRS	S16	3	(hiroyuki same hirota).in. and battery	US-PGPUB; USPAT
17	BRS	S31	13	(injection same (mold\$4 near battery)) and (valve or vent)	US-PGPUB; USPAT
18	BRS	S30	59	(mold\$4 near battery) and valve	US-PGPUB; USPAT

	Type	Ref #	Hits	Search Text	DBs
19	BRS	S29	16	(mold\$4 near battery) and valve	US-PGPUB
20	BRS	S28	1	S27 and valve	US-PGPUB
21	BRS	S27	1	10/695869	US-PGPUB
22	BRS	S26	0	S18 and vent	USPAT
23	BRS	S25	0	S23 and vent	US-PGPUB
24	BRS	S24	0	S23 and valve	US-PGPUB
25	BRS	S23	1	"20030003357"	US-PGPUB
26	BRS	S22	1	S18 and "20" and "266" and "268"	USPAT
27	BRS	S19	1	S18 and "20"	USPAT
28	BRS	S21	0	S18 and "20" and valve	USPAT
29	BRS	S20	0	S18 and "20" and vlave	USPAT
30	BRS	S18	1	"6803144".pn.	USPAT
31	BRS	S17	2	"6803144"	USPAT
32	BRS	S37	0	S32 and "107"	US-PGPUB
33	BRS	S38	0	S32 and "1108"	US-PGPUB
34	BRS	S33	1	S32 and valve\$3 and mold\$2	US-PGPUB
35	BRS	S46	1149	429//96	US-PGPUB; USPAT; USOCR
36	BRS	S61	0	S60 and (valve vent\$3 ventila\$5) and (resin mold\$3 header)	US-PGPUB; USPAT; USOCR
37	BRS	S48	446	S46 and (valve vent\$3 resin mold\$3 header)	US-PGPUB; USPAT; USOCR

	Type	Ref #	Hits	Search Text	DBs
38	BRS	S47	454	S46 and (valve vent\$3 ventilat\$3 resin mold\$3 header)	US-PGPUB; USPAT; USOCR
39	BRS	S36	0	S32 and "102A"	US-PGPUB
40	BRS	S49	384	S46 and (valve vent\$3 ventila\$5resin mold\$3 header)	US-PGPUB; USPAT; USOCR
41	BRS	S40	1	S32 and core	US-PGPUB
42	BRS	S39	1	S32 and "2" and "7"	US-PGPUB
43	BRS	S32	1	10/695869	US-PGPUB
44	BRS	S35	1	S32 and "102"	US-PGPUB
45	BRS	S41	635	429//53	US-PGPUB; USPAT; USOCR
46	BRS	S50	454	S46 and (valve vent\$3 ventila\$5 resin mold\$3 header)	US-PGPUB; USPAT; USOCR
47	BRS	S51	70	S46 and (valve vent\$3 ventila\$5) and (resin mold\$3 header)	US-PGPUB; USPAT; USOCR
48	BRS	S52	1095	429//97	US-PGPUB; USPAT; USOCR
49	BRS	S53	53	S52 and (valve vent\$3 ventila\$5) and (resin mold\$3 header)	US-PGPUB; USPAT; USOCR
50	BRS	S54	705	429//98	US-PGPUB; USPAT; USOCR
51	BRS	S55	29	S54 and (valve vent\$3 ventila\$5) and (resin mold\$3 header)	US-PGPUB; USPAT; USOCR
52	BRS	S56	1341	429//99	US-PGPUB; USPAT; USOCR
53	BRS	S58	1480	429//100	US-PGPUB; USPAT; USOCR

	Type	Ref #	Hits	Search Text	DBs
54	BRS	S57	107	S56 and (valve vent\$3 ventila\$5) and (resin mold\$3 header)	US-PGPUB; USPAT; USOCR
55	BRS	S59	114	S58 and (valve vent\$3 ventila\$5) and (resin mold\$3 header)	US-PGPUB; USPAT; USOCR
56	BRS	S60	4780	H01M002/12	EPO; JPO; DERWENT
57	BRS	S62	337	S60 and (valve vent\$3 ventila\$5) and (resin mold\$3 header)	EPO; JPO; DERWENT
58	BRS	S42	552	S41 and (valve vent\$3 ventilat\$3 resin mold\$3 header)	US-PGPUB; USPAT; USOCR
59	BRS	S64	40	S63 and (valve vent\$3 ventila\$5) and (resin mold\$3 header)	EPO; JPO; DERWENT
60	BRS	S63	14766	H01M002/10	EPO; JPO; DERWENT
61	BRS	S45	325	S43 and (valve vent\$3 ventilat\$3 resin mold\$3 header)	US-PGPUB; USPAT; USOCR
62	BRS	S44	552	S42 and (valve vent\$3 ventilat\$3 resin mold\$3 header)	US-PGPUB; USPAT; USOCR
63	BRS	S43	374	429//56	US-PGPUB; USPAT; USOCR
64	BRS	S34	1	S32 and "2A"	US-PGPUB
65	BRS	S65	1002	(kubota same hiroshi).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT
66	BRS	S66	9	(kubota same hiroshi).in. and battery and mold\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT
67	BRS	S67	6	(inoue same yasushi).in. and battery and mold\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Ref #	Hits	Search Text	DBs
68	BRS	S68	0	(tamai same makitaka).in. and battery and mold\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT
69	BRS	S69	12	(tamai same mikitaka).in. and battery and mold\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT
70	BRS	S70	900	battery and (hermetic\$4 same (vent valve ventillat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT
71	BRS	S71	78	battery and (hermetic\$4 adj4 (vent valve ventillat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT
72	BRS	S72	15	battery and (hermetic\$4 adj4 (vent valve ventillat\$5))	USOCR; FPRS
73	BRS	S73	36	battery and (hermetic\$4 adj4 (vent valve ventillat\$5)) and (mold\$4 cast\$3 resin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT
74	BRS	S74	145 0	battery and hermetic\$4 and (vent valve ventillat\$5) and (mold\$4 cast\$3 resin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT
75	BRS	S75	503	battery and (hermetic\$4 same (vent valve ventillat\$5)) and (mold\$4 cast\$3 resin)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT
76	BRS	S76	126 3	battery and (hermetic\$4 same (vent valve ventillat\$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT

	Type	Ref #	Hits	Search Text	DBs
77	BRS	S78	1	"6861821".pn.	USPAT
78	BRS	S77	1	"6524732".pn.	USPAT
79	BRS	S80	4780	H01M002/12	EPO; JPO; DERWENT
80	BRS	S81	2812	S80 and (valve\$2 vent\$3 ventilat\$4)	EPO; JPO; DERWENT
81	BRS	S82	1483	S81 and (safety relief)	EPO; JPO; DERWENT
82	BRS	S83	187	S82 and ((resin\$2 insulat\$4 polymer\$3 mold\$3) with safety)	EPO; JPO; DERWENT
83	BRS	S84	1	10/695869	US-PGPUB
84	BRS	S85	1	S84 and (embedded near project\$4)	US-PGPUB
85	BRS	S86	1	10/695869	US-PGPUB
86	BRS	S87	107	(battery near pack) and valve\$2 and mold\$2 and resin	US-PGPUB; USPAT; USOCR
87	BRS	S89	1	"10659869"	US-PGPUB
88	BRS	S88	6	(battery near pack) and valve\$2 and mold\$2 and resin	EPO; JPO; DERWENT
89	BRS	S90	1	"10/659869"	US-PGPUB
90	BRS	S91	1	"10/695869"	US-PGPUB
91	BRS	S92	1	S91 and terminal and insulating and valve	US-PGPUB
92	BRS	S93	1	S91 and grooves	US-PGPUB
93	BRS	S94	12	(battery near pack\$2) and (safety near valve\$2) and mold\$3 and resin\$2 and insulat\$4 and (opening\$3 hole\$2)	US-PGPUB

	Type	Ref #	Hits	Search Text	DBs
94	BRS	S95	1	((battery near pack\$2) and (safety near valve\$2) and mold\$3 and resin\$2 and insulat\$4 and (opening\$3 hole\$2)).clm.	US-PGPUB